CODE40	ECR-15-001681; ECR-15-001861; ECR-15-001870; ECR-15-001873; ECR-15-001877											

Customer Notification on Raychem Brand Adaptors.

TE Connectivity is optimising the supply chain for its Connector Accessories product line to improve manufacturability and customer service.

Product feature optimisation will mean that there will be some minor dimensional differences on some adaptor codes, these dimensional changes will remain within the current and existing customer drawing. On some adaptors there will be some dimensional differences outside the current and existing customer drawing.

All adaptor designs affected by dimensional changes are documented in the attached spreadsheet

All Adaptors affected by dimensional change meet the current performance requirements.

TE reserve the right to supply both designs during a 6 month transition period. TE will not mix the two designs within a single line item on any order but may mix the designs on different line items on any order.

CD: TXR40					øB MAX (TYPE-I & TYPE-II)							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)	Reason for Change	Change Implement Date
											Optimise Manufacturing, Product Improvement, Single design Better customer service	09-Feb-15
	16	17	E		31.8	1.25	32.5	1.28	0.7	0.028		
CD: TXR40					D MAX (TYPE-I)							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
	8	9	A		22.6	0.89	27.3	1.07	4.70	0.19		
	10	11	B		23.4	0.92	28.0	1.10	4.60	0.18		
	12	13	C		24.1	0.95	28.5	1.12	4.40	0.17		
	14	15	D		24.1	0.95	29.5	1.16	5.40	0.21		
	16	17	E		24.9	0.98	30.2	1.19	5.30	0.21		
	18	19	F		25.7	1.01	31.0	1.22	5.30	0.21		
	20	21	G		26.4	1.04	31.4	1.24	5.00	0.20		
	22	23	H		27.2	1.07	31.6	1.24	4.40	0.17		
	24	25	J		27.2	1.07	32.6	1.28	5.40	0.21		
CD: TXR40					W MAX (TYPE-I)							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
	14	15	D		31.0	1.22	31.5	1.24	0.5	0.02		
	16	17	E		34.3	1.35	34.5	1.36	0.2	0.01		
	22	23	H		42.2	1.66	42.5	1.67	0.3	0.01		
	24	25	J		45.2	1.78	45.5	1.79	0.3	0.01		

CD: TXR40					W MAX (TYPE-I Stainless Steel Adaptor)							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
	8	9	A		21.60	0.85	21.70	0.85	0.10	0.004		
	10	11	B		24.60	0.97	24.80	0.98	0.20	0.008		
	12	13	C		27.90	1.10	28.80	1.13	0.90	0.035		
	14	15	D		31.00	1.22	31.60	1.24	0.60	0.024		
	16	17	E		34.30	1.35	34.70	1.37	0.40	0.016		
	18	19	F		35.80	1.41	39.00	1.54	3.20	0.126		
	20	21	G		38.90	1.53	41.20	1.62	2.30	0.091		
	22	23	H		42.20	1.66	44.20	1.74	2.00	0.079		
	24	25	J		45.20	1.78	46.90	1.85	1.70	0.067		
CD: TXR40					øK MAX (TYPE-II)							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
				5	20.3	0.80	21.0	0.83	0.7	0.03		
				6	20.3	0.80	21.0	0.83	0.7	0.03		
				8	23.4	0.92	24.5	0.96	1.1	0.04		
CD: TXR40					G MAX							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
				5	23.6	0.93	28.0	1.10	4.4	0.17		
				6	23.6	0.93	28.0	1.10	4.4	0.17		
				7	24.1	0.95	28.0	1.10	3.9	0.15		
				8	24.1	0.95	28.5	1.12	4.4	0.17		
				10	25.4	1.00	29.5	1.16	4.1	0.16		
				12	25.7	1.01	30.2	1.19	4.5	0.18		
				14	26.4	1.04	31.0	1.22	4.6	0.18		
				16	26.9	1.06	31.4	1.24	4.5	0.18		
				18	27.7	1.09	31.6	1.24	3.9	0.15		
				20	28.7	1.13	32.6	1.28	3.9	0.15		
				22	35.1	1.38	35.8	1.41	0.7	0.03		
				24	36.6	1.44	38.6	1.52	2.0	0.08		

CD: TXR40					øK MAX (TYPE-II MOD. CODE "S")							
Description on Customer Drawing	Order Number	Shell Size - Com'l	Shell Size - MIL	Entry Size	TE Old requirement (mm)	TE Old requirement (in)	TE New requirement (mm)	TE New requirement (in)	Applicable Change (mm)	Applicable Change (in)		
				5	20.3	0.80	24.6	0.97	4.3	0.17		
				6	20.3	0.80	24.6	0.97	4.3	0.17		
				7	23.4	0.92	24.6	0.97	1.2	0.05		
				8	23.4	0.92	28.3	1.11	4.9	0.19		
				10	30.0	1.18	32.4	1.28	2.4	0.09		
				12	34.3	1.35	35.6	1.40	1.3	0.05		
				14	35.8	1.41	38.5	1.52	2.7	0.11		
				16	40.6	1.60	41.7	1.64	1.1	0.04		
				18	42.2	1.66	43.9	1.73	1.7	0.07		